


# TES

Reliable in Quality

## TES-45 LAN Cable Tester

- Check Open, Short, Reversed, Crossed & Split wires of wiring faults
- 8 different cables-remote-identifiers available(#1, #2, #3, #4, #5, #6, #7, #8)
- Double digits LED display and plus 4 pairs LED to show wiring fault status / pairing test



**OPEN**  
**SHORT**  
**REVERSED**  
**SPLIT PAIRS**  
**CROSSED PAIRS**

TES 45 LAN Cabletester  
FAULTS/CABLE I.D.  
1 2 3 4 5 6 7 8  
1/2 3/6 4/5 7/8  
PAIRS TEST  
TEST  
FAULTS STATUS  
OP = OPEN  
ST = SHORT  
RE = REVERSED  
LO = LOW BATTERY  
SP = SPLIT PAIRS  
CR = CROSSED PAIRS



# TES-45 CAT-5 Lan Cable Tester



## FEATURES

Test a wide range of UTP cables such as 10Base T , 100Base Tx , 10Base 2 (Coax), 356A , TIA-568A , TIA-568B, etc.

Can tests for wiring faults such as open, short , reversed , crossed and split wires.

Can identify up to 4 different cables at one end by provided remote identifiers.

Double digital 14-segment LED and 4 pair LEDs clearly display the fault status.

Provided over voltage (max.56V) protection to prevent damage frommiss connecting to live circuit of networking.

Simple and effective use.

Auto power off



## SPECIFICATION

<b>Display/LEDs</b>	Double digital 14-segment LED Four FAIL (red) LEDs Four Pass (green) LEDs
<b>Connector</b>	RJ45, BNC
<b>Cable pairs tested</b>	1/2 , 3/6 , 4/5 , 7/8
<b>Faults status</b>	Open , Short , Reversed , Crossed , Split and Low Battery
<b>Test cable length</b>	Minimum : 1.2M (4ft) , Maximum : 150M (492ft)
<b>Power</b>	9Volt battery
<b>Size</b>	170 x 52 x 38mm
<b>Weight</b>	Approx. 180g
<b>Environment Conditions</b>	Operating : 0 °C to +50 °C Storage : -20 °C to +60 °C
<b>Accessories</b>	Instruction manual, One patch cable (RJ-45 to RJ-45,30cm long) & One remote identifier #1(Optional for A #2, #3 & #4 ) (Optional for B #5, #6, #7 & #8)